

# Energy Medicine Report Concerning Energetic Effects by the products **RayGuard „5G Chip“** and **“5G-Pendant“** of Gasser Comp., Hoechst (Austria)

In the following 19 pages we give a report on a **series of tests** using the Meridian Diagnostics (Module of TimeWaver® device), the Heart Rate Variability (System TimeWaver Cardio®), and the Aura-/Chakra diagnostics (Module of the TimeWaver® [www.timewaver.de](http://www.timewaver.de)), concerning the biologic-energetic effects made by the **RayGuard “5G Chip”** and **“5G Pendant”** – produced against technical electromog - by Gasser Ltd., Hoechst (Austria). Both products (**Verum**) were compared with similar **Placebo** products.

The test series were performed in a randomized and blinded test procedure. No test person included in the tests knew which were the contents of the devices. Verum and Placebo looked identical. At the end the de-blinding took place. All tests were done by means of an exposition to a smartphone at the left ear for two minutes. The registration and comparison of the following situations was achieved:

1. Evaluation of the effects of having the “5G Chip” at the smartphone: “1V”.
2. Evaluation of the effects of wearing the “5G Pendant” around the neck: “2V”.
3. Evaluation of the effects of having the Placebo of the “5G Chip” at the smartphone: “1P”.
4. Evaluation of the effects of wearing the Placebo of the “5G Pendant” around the neck: “2P”.

**Test persons:** twelve (mixed concerning age and sex)

**Time of the investigations:** February/March 2020

**Location of the investigations:** HolisticCenter Health Centre, 17 Haupt St, Abtwil, Switzerland

Description of the **theory** behind the effects of the “Ray Guard products”:

## **Energy-Medicine Report on the products "5G Chip" and "5G Pendant"**

The biological effects of Hertz waves are well known. Official physics does not accept the second kind of waves, called Tesla waves. Hertz waves oscillate transversally, Tesla waves oscillate longitudinally.

Experts (e.g. Prof. K. Meyl from Germany, see his books at Appendix page 13) for Tesla (or Scalar) waves agree that those analogue waves are biologically more important. Nature uses them usually. And important means a harmful potential, too, insofar there is no absorbing receiver or antenna but the human tissues only. As there are no physical measuring devices for Tesla waves on the market, the human organism can and has to be taken as the original and best (because most sensitive) measuring device. Its reactions are detected by the three methods used in this study and described later.

The question is now which criterion inside the body is a good one to detect effects of waves. We have found out that the net of the meridians is very sensitive (Meridian Diagnostics). This method, however, is not generally accepted. Therefore we take as a scientifically accepted method the Heart Rate Variability (HRV) as second principle which allows to detect the status of the stress and of the condition of the vegetative nervous system. The Aura scopy showing the Chakras completes this variety of detectors by measuring the Chakra states of function (both, energy and coherence).

The "RayGuard products" contain a variety of powders of minerals, silicates, rare elements, semiprecious stones, and meteorites dust. The composition is secret and unique. All those materials work as antennas for electromagnetic waves. They have a higher resonance and attraction than antennas inside the human body. Hence, they act as `victims` for technical electro smog instead of human tissues.

### **Test Methods:**

## Energy-Medicine Report on the products "5G Chip" and "5G Pendant"

### **Meridian diagnostics** (module within the TimeWaver®)

Asking the individual information field via quantum teleportation for the Chi energy content of the 24 half meridians and additionally the Governor and the Conception vessels, altogether 26 results. Calculating the average, comparing of the actual one with the average of the measurement just before: changing of the "state of energy".

The basic theory says that the average value of the energy contents of the 26 meridians represents the state of the „Chi“, which corresponds to the TCM description of the life energy.

The value of a measurement which just happened is the basic value for the next measurement, the change of which is shown as percent. Increases of the conductance of more than 7 % are judged as a „yes“, and 7 % decreases as a „no“, with the neutral range between + and - 7 %.

The meridian diagnostics is working on the levels of **energy and information**. It contains the vegetative and autonomous regulations of the body systems. There are 24 half meridians and additionally the unpaired Conception vessel and the Governor vessel, hence, adding up to 26 meridians to be distinguished.

### **Heart Rate Variability** (System TimeWaver Cardio™)

The time distance between two beats of the heart measured within the ECG (R-R-distance) should vary within a certain range. No variations represent a kind of rigidity and are as pathological as too high variations showing a chaotic state of the regulation. This is performed by the vegetative (or autonomous) nervous system (VNS) consisting of the Sympathicus accelerating the heart by its adrenalin and of the Parasympathicus = Vagus making the heart calm by its acetylcholine.

## Energy-Medicine Report on the products "5G Chip" and "5G Pendant"

Thus by analyzing the R-R-distances the function of the VNS can be evaluated. As concerning the VNS stress is the most important influencing factor, the stress situation of the person will result, too. A measurement is made in rest and usually takes five minutes. The most interesting values are the 'Stress-Index' (quotient between height and width of the columns within a frequency distribution plot) and the relationship 'VLF/HF' (very low frequency/high frequency, both derived from the spectral analysis). They should be close to their normal values which are: Stress Index SI = 100, VLF/HF (Sympathicus/Parasympaticus) = 2.0.

### ***Aura- and Chakra scopy*** (module within the TimeWaver™)

Asking the individual information field via quantum teleportation for the Chi energy content and coherence of the 7 chakras which together form the aura. Calculating the average, comparing of the actual one with the average of the measurement just before: changing of the "state of energy and of coherence".

The basic theory says that the average value of the energy contents of the 7 chakras represents the state of the „Chi“ which corresponds to the TCM description of the life energy.

## **Design of the study**

### ***Verum branch of the study:***

## Energy-Medicine Report on the products "5G Chip" and "5G Pendant"

The test persons are calling anyone else by the mobile phone with a "RayGuard 5G Chip" picked onto the phone for about 2 minutes: Basic measurements, test procedure No. **1V**. Then they wear a "5G Pendant" around the neck instead of the chip: Test procedure No. **2V**.

### ***Placebo branch of the study:***

The test procedure is the same, however, no minerals are in the "RayGuard 5G Chip": Basic measurements, test procedure No. **1P**. The same, however, with no minerals inside the "5G Pendant": Test procedure No. **2P**.

Hence, we have four study measurements. Within this time nothing else happens and care is taken for a quiet atmosphere. The sequence of the four test procedures is randomized.

### **Preparation** of the test persons:

A provocation is made by a piezo stick ("PainGone", 7 pressings on the point Gov. 20). Then a de-switching procedure follows for the purpose of a synchronisation of the brain. For that purpose two practices are as follows: 1) with crossed forearms four finger tips are put above the eyebrows, the thumbs below, then 20 – 30 sec. soft massage by moving the skin, 2) with crossed forearms for 20 – 30 sec. a soft massage of the ears.

Every person having had a mobile phone call of longer than 2 min should perform this practice afterwards. The reason is that in the present era of electro-smog pollution a lot of people are in the state of "switching" temporarily or even continuously. The parts of the brain are dissociated or desynchronized or fragmented in this situation. In case of PC working this can be found after 3 hours work without protection regularly.

The effect of this that test methods which include the central nervous system, will show false or paradox results as the brain (like the immune system) can no longer

## **Energy-Medicine Report on the products "5G Chip" and "5G Pendant"**

decide what is good and what is bad for the person. Intellect, emotions, and affects are fighting each other without association or communication. A tendency to an addiction will develop, e.g. conc. coffee, chocolate, cigarettes, or even the electro-smog itself. Software programmers are often suffering from that.

Examinations and investigations concerning energy variations, which are not taking this problem into consideration, are not safe or believable. A typical result is that a test person who is in a state of switching = de-synchronisation, shows an increase of his energy and harmony during a mobile phone call of more than 2 min, whereas after the de-switching practice he shows the normal result of a decrease.

## **Results**

### **Exposure to Verum and to Placebo device situations**

## Energy-Medicine Report on the products "5G Chip" and "5G Pendant"

### 1) Meridian Diagnostics

**Table 1, Changes of the average Ch'í energy:**

**1 = Verum of the 5G Chip (1V); 2 = Verum of the 5G Pendant (2V);**

**3 = Placebo of the 5G Chip (1P); 4 = Placebo of the 5G Pendant (2P).**

<b>Tests</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>
Person 1 (f, 20)	-3	+10	-4	+3
Person 2 (m, 49)	+8	+6	-11	-5
Person 3 (f, 42)	0	+15	-3	-3
Person 4 (f, 65)	+5	+4	0	-6
Person 5 (f, 29)	-4	-2	+5	+5
Person 6 (m, 35)	+11	+5	-5	+4
Person 7 (m, 73)	+3	+8	-6	-2
Person 8 (f, 45)	-9	+14	+3	-3
Person 9 (f, 33)	-2	+9	0	+7
Person 10 (m, 18)	-5	+13	-3	+2
Person 11 (f, 59)	+10	+4	-4	0
Person 12 (m, 26)	+4	+3	-6	-3
<b>Averages</b>	<b>+1.5</b>	<b>+7.4</b>	<b>-2.8</b>	<b>-0.1</b>
<b>Stand dev</b>	<b>6.3</b>	<b>5.0</b>	<b>4.3</b>	<b>4.2</b>
<b>Stand err</b>	<b>1.8</b>	<b>1.5</b>	<b>1.2</b>	<b>1.2</b>

### Statistical evaluation of table 1

## Energy-Medicine Report on the products "5G Chip" and "5G Pendant"

Acc. to Student`s t-test the following - significant - differences exist:

[http://www.physics.csbsju.edu/stats/t-test\\_bulk\\_form.html](http://www.physics.csbsju.edu/stats/t-test_bulk_form.html)

1 vs. 2:	significant for $p = .48$	(no significance)
1 vs. 3:	significant for $p = .065$	(significance)
1 vs. 4:	significant for $p = .048$	(significance)
2 vs. 3:	significant for $p = .0002$	(high significance)
2 vs. 4:	significant for $p = .0007$	(high significance)
3 vs. 4:	significant for $p = .13$	(no significance)

This means that the following groups show identical results:

1 (1V) and 2 (2V)

3 (1P) and 4 (2P)

This means that the following groups show clear different results:

1 (1V) vs. 3 (1P)

1 (1V) vs. 4 (2P)

2 (2V) vs. 3 (1P)

2 (2V) vs. 4 (2P)

## *2) Heart Rate Variability HRV*

## Energy-Medicine Report on the products "5G Chip" and "5G Pendant"

**Table 2: Changes of the Disstress Index (%)**

**1 = Verum of the 5G Chip (1V); 2 = Verum of the 5G Pendant (2V);  
3 = Placebo of the 5G Chip (1P); 4 = Placebo of the 5G Pendant (2P).**

<b>Tests</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>
Person 1 (f, 20)	+8	+6	+3	-5
Person 2 (m, 49)	+11	+6	0	-2
Person 3 (f, 42)	+9	+10	-6	0
Person 4 (f, 65)	+4	+7	+2	-5
Person 5 (f, 29)	+13	+5	0	+4
Person 6 (m, 35)	+5	+11	-5	-3
Person 7 (m, 73)	0	+8	+1	+2
Person 8 (f, 45)	+8	+6	-4	0
Person 9 (f, 33)	+7	+13	-5	-3
Person 10 (m, 18)	+10	+11	+1	-5
Person 11 (f, 59)	+6	+9	-3	+4
Person 12 (m, 26)	+7	+12	+4	-3
<b>Averages</b>	<b>+7.3</b>	<b>+8.7</b>	<b>-.9</b>	<b>-1.4</b>
<b>Stand dev</b>	<b>3.4</b>	<b>2.7</b>	<b>3.3</b>	<b>3.2</b>
<b>Stand err</b>	<b>2.5</b>	<b>2.3</b>	<b>2.7</b>	<b>2.6</b>

### Statistical evaluation of table 2

## Energy-Medicine Report on the products "5G Chip" and "5G Pendant"

Acc. to Student`s t-test the following - significant - differences exist:

[http://www.physics.csbsju.edu/stats/t-test\\_bulk\\_form.html](http://www.physics.csbsju.edu/stats/t-test_bulk_form.html)

1 vs. 2:	significant for $p = .31$	(no significance)
1 vs. 3:	significant for $p < .001$	(high significance)
1 vs. 4:	significant for $p < .001$	(high significance)
2 vs. 3:	significant for $p = .0002$	(high significance)
2 vs. 4:	significant for $p < .001$	(high significance)
3 vs. 4:	significant for $p = .71$	(no significance)

This means that the following groups show identical results:

1 (1V) and 2 (2V)

3 (1P) and 4 (2P)

This means that the following groups show clear different results:

1 (1V) vs. 3 (1P)

1 (1V) vs. 4 (2P)

2 (2V) vs. 3 (1P)

2 (2V) vs. 4 (2P)

**Energy-Medicine Report on the products  
"5G Chip" and "5G Pendant"**

*3) Aura scopy*

**Table 3, Changes of the chakra mean of energy and coherence (%)**

**1 = Verum of the 5G Chip (1V); 2 = Verum of the 5G Pendant (2V);  
3 = Placebo of the 5G Chip (1P); 4 = Placebo of the 5G Pendant (2P).**

<b>Tests</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>
Person 1 (f, 20)	+9	+5	-3	-2
Person 2 (m, 49)	+15	+3	-1	+3
Person 3 (f, 42)	+4	+9	+3	0
Person 4 (f, 65)	-1	+7	0	-5
Person 5 (f, 29)	+7	+4	+5	-3
Person 6 (m, 35)	0	-2	+1	-4
Person 7 (m, 73)	+5	+14	-4	-6
Person 8 (f, 45)	-2	+5	-2	-3
Person 9 (f, 33)	+16	+7	+3	-1
Person 10 (m, 18)	+5	+11	-4	0
Person 11 (f, 59)	+6	+8	+2	+3
Person 12 (m, 26)	+8	+12	0	-5
<b>Averages</b>	<b>+6.0</b>	<b>+6.9</b>	<b>-.17</b>	<b>-1.9</b>
<b>Stand dev</b>	<b>5.6</b>	<b>4.4</b>	<b>2.9</b>	<b>3.0</b>
<b>Stand err</b>	<b>4.2</b>	<b>3.3</b>	<b>2.3</b>	<b>2.4</b>

## Energy-Medicine Report on the products "5G Chip" and "5G Pendant"

### Statistical evaluation of table 3

Acc. to Student`s t-test the following - significant - differences exist:

[http://www.physics.csbsju.edu/stats/t-test\\_bulk\\_form.html](http://www.physics.csbsju.edu/stats/t-test_bulk_form.html)

1 vs. 2:	significant for $p = .66$	(no significance)
1 vs. 3:	significant for $p = .0035$	(significance)
1 vs. 4:	significant for $p = .0003$	(high significance)
2 vs. 3:	significant for $p = .0002$	(high significance)
2 vs. 4:	significant for $p = .0001$	(very high significance)
3 vs. 4:	significant for $p = .14$	(no significance)

This means that the following groups show identical results:

- 1 (1V) and 2 (2V)
- 3 (1P) and 4 (2P)

This means that the following groups show clear different results:

- 1 (1V) vs. 3 (1P)
- 1 (1V) vs. 4 (2P)
- 2 (2V) vs. 3 (1P)
- 2 (2V) vs. 4 (2P)

**Energy-Medicine Report on the products  
"5G Chip" and "5G Pendant"**

**Overview table (4) comparing the significances of Verum and Placebo situations**

	<b>1/2</b>	<b>2/4</b>
<b>HRV</b>	<b>.31</b>	<b>&lt;.001</b>
<b>Merid</b>	<b>.48</b>	<b>.007</b>
<b>Chakra</b>	<b>.66</b>	<b>.0001</b>
<b>Evaluation</b>	<b>no sign</b>	<b>all sign</b>

**Interpretation of the results of tables 1, 2, 3, and 4: effects of the "5G Chip and Pendant" on stress state, vegetative nervous system, Chì energy and harmony, and Chakra energy and aura coherence of the human organism in comparison with placebo and controls.**

**Meridians system (table 1):**

The Verum tests result in clear positive significances compared to Placebo situations.

**Heart Rate Variability ≈ Vegetative Nervous System (VNS) (table 2):**

It was difficult to select from the many results of the HRV important ones which combine several criteria. We have chosen the Dis-stress-Index. The reason was that we did not intend to make a diagnosis of the heart function but the VNS which reacts on changes of balancing and information.

## Energy-Medicine Report on the products "5G Chip" and "5G Pendant"

The Verum tests result in clear positive significances compared to Placebo situations.

### **Aura and chakras (table 3):**

The results correspond to those of the Meridians system examinations. All Verum tests result in clear positive significances compared to Placebo situations.

## **Discussion**

It is necessary for all of us to find possibilities which are able to strengthen the sensitive systems of the organism against negative influences which nowadays exist everywhere. An energy increase and a balancing of the meridians, of the vegetative nervous systems, and of the chakras are most important ways to achieve that goal.

In addition we all lose energy and harmony by vegetative instability caused by stress. Many people try to compensate for that by stimulators like caffeine or the amino acid taurine during the day and downers like alcohol in the evening. This way of life, however, is a risky one and will not lead to a positive target. Better we use a method which can give us an improvement concerning a normal and harmonious function of our vegetative nervous system which should become resistant to stress.

And nowadays in the era of enrolling 5G everywhere, either by transmitters or by satellites, this is a major stressing cause.

## **Energy-Medicine Report on the products "5G Chip" and "5G Pendant"**

A stress resistance and a harmony of the body systems allow a higher performance in the fields of wellness and fitness and makes a resistance to illnesses.

The new "RayGuard 5G Chip and 5G Pendant" examined here are valuable instruments for the achievement of the goal of protecting the human bodies against modern 5G electro smog. Energy and harmony are improved simultaneously. The Placebo products result in overall neutral effects which may or should be a typical placebo effect.

The overall table 4 shows clear and impressive results.

**Summary and Certificate derived from our „life  
energy and information tests“**

- 1. Three operational fields of the electro smog protecting devices RayGuard "5G Chip and 5G Pendant" compared to Placebo were tested: the effects on the vegetative nervous system (Heart Rate Variability to describe stress and the sympathetic and vagal nervous systems), on the net of the meridians ('Chi' energy and harmony), and on the Chakras (energy and coherence states). The tests were performed as randomized, placebo-controlled, and blinded test procedures.**
- 2. Both devices are able to balance the human autonomous systems, to improve and strengthen energy and harmony, and to harmonize the Chakras suffering from stress via having a call by a modern smart phone over 2 minutes. Concerning the comparison with Placebo situations the differences are significant, in most tests highly significant.**

Dr. med. Manfred Doepp  
HolisticCenter Health Centre®



*Remarks:*

*Dr. med. Manfred Doepp is a member of the Board of the "German Society for Energy and Information Medicine e.V., Stuttgart"*

## Energy-Medicine Report on the products "5G Chip" and "5G Pendant"


*Dr. med. Manfred Doepp was a reviewer of the following societies:  
International Society on Systemics, Cybernetics and Informatics,  
International Society on Computer, Communication and Control Technologies.*



Dr. M. Doepp


**An overview about books from Prof. Dr. - Ing. Konstantin Meyl on the topics of scalar or Tesla waves and fields.**

**Books in English:**




**[DNA and Cell Radio](#)  
Communication of cells explained by field physics  
including magnetic scalar waves**

## Energy-Medicine Report on the products "5G Chip" and "5G Pendant"




### Self-consistent Electrodynamics

The big uniform theory waits when newly discovered potential-vortices are introduced to the dielectric and the vector potential is  $A$  substituted.



### Scalar wave transponder


Field-physical basis for electrically coupled bi-directional far range transponder



### Scalar wave technology

Documentation for the Demo- and the Experimentation Kit to the transmission of electrical scalar waves

## Energy-Medicine Report on the products "5G Chip" and "5G Pendant"



### Scalar waves

**From an extended vortex and field theory to a technical, biological and historical use of longitudinal waves.**

**Edition belonging to the seminar (part 1 - 3)  
Electromagnetic Environmental compatibility**

**The devices tested:**

**A RayGuard 5G Chip**

**A RayGuard 5G Pendant**

## Energy-Medicine Report on the products "5G Chip" and "5G Pendant"

Notes:

*Dr. med. Manfred Doepp is Vice President of the German Society of  
Energy and Information Medicine e.V., Stuttgart, [www.dgeim.de](http://www.dgeim.de)*



The 5G RayChip Pendant and RayChip Phone Chip

